

Parkway Glue Down Collection

Style	Plank- 7.1"x 48"	Rectangle- 12"x 24"
Construction	Luxury Vinyl Plank Non-ortho Phthalate	Luxury Vinyl Tile Non-ortho Phthalate
Classification	ASTM F1700 Class III, Type B	ASTM F1700 Class III, Type B
Total Thickness	0.080" (2.0 mm)	0.080" (2.0 mm)
Wear Layer Thickness	12 mil (0.30 mm)	12 mil (0.30 mm)
Wear Layer	Enhanced Urethane	Enhanced Urethane
Edge Treatment	Micro-Bevel	Micro-Bevel
Sizes	7.1" x 48" (180.34 x 1219 mm)	12" x 24" (305 x 610 mm)
Colors	12 each style	4 each style
Packaging	7.1"x 48" – 21 pcs 50.84 ft ² (4.72 m ²), 40.0 lbs (18 kg)	12" x 24" - 21 pcs 42.05 ft ² (3.91m ²), 33.1 lbs (15 kg)
Installation Method	Full Glue, please visit www.manningtononmain.com for full installation instructions.	
Adhesive	Porous & Non-porous Substrates: V-88 Full Spread, Transitional Pressure Sensitive, High Moisture V-95 Full Spread, 2-part Epoxy XpressStep for LVT & Sheet Vinyl Full Coverage Spray	

Testing

HUD/FHA	Passes
ADAG (American Disability Act Guidelines)	Passes
Flexibility (ASTM F137)	Passes - 1" Mandrel - No Crack/Break
Dimensional Stability (ASTM F2199)	Passes - Max 0.020 in/lin ft
Squareness (ASTM F540)	Passes - Max 0.010"
Static Load (ASTM F970 mod.)	Passes - 1,000 PSI: Residual Indent ≤ 0.005"
Residual Indentation (ASTM F1914)	Passes - < 8% Avg / 10% Single Value
Flooring Radiant Panel (ASTM E648)	Passes - Class 1; ≥ 0.45 watts/cm ² Passes - ≤ 450
Smoke Density (ASTM E662)	Passes - ≥ 0.5 Leather: 0.6 Rubber
Slip Resistance (ASTM C1028)	
Resistance to Light (ASTM F1515)	Passes
Chemical Resistance (ASTM F925)	Passes
Resistance to Heat (ASTM F1514)	Passes

Environmental Data

Indoor Air Quality	FloorScore Certified; CDPH v1.2-2017
Product Declarations	EPD
LEED Scoreboard	May contribute to LEED credits: LEED 2009: IEQ4.1 Low Emitting Adhesives; IEQ4.3 Low Emitting Materials – Flooring LEED v4: Building Product Disclosure & Optimization – EPDs; IEQc2 - Low Emitting Materials
Manufacturing	Madison, GA, USA, ISO 14001 EMS Registered

For more information, contact your Mannington on Main representative or visit